EA Engineering, Science, and Technology, Inc., PBC

Table A-1: Phase 1 Remedial Investigation Groundwater Sample Summary Groundwater Sampling

Sample Location	Sample Identification	Sampling Method	¹ Field Parameters	Total Dissolved Solids	VOCs (low water)	SVOC	(Unfiltered) TAL Metals (includes Mercury)	Analyses (Filtered) TAL Metals (includes Mercury)	Cyanid e	Hexavalen t Chromium		s Herbicide	es PFCs	TP H
Monitoring Wells														
MW-01	MW-01	X	X	X	X	X	X	X	X	X	X	X	X	
MW-02	MW-02	X	X			X	X	X	X					
MW-03	MW-03	X	X			X	X	X	X					
WW-01	WW-01	Micro Purge and Sample	X	X			X	X	X	X				
WW-02	WW-02	X	X			X	X	X	X					
		Subtotal Monitoring Wells	5	5	1	1	5	5	5	5	1	11	1	1
		5	5	1	1	5	5	5	5	1	1	1	1	
Ground Water QC Samples														
Field duplicates	Same as original with "-D" added to the ID, for example MW-16-D			1	1	1	1	1	1	1	1	1	1	
MS/MSDs		1 per 20 samples (extra volume consisting of one container for MS and one container for MSD per each MS/MSD sample)			1	1	1	1	1	1	1	2	1	1
Trip blanks	TB with number; for example TB-1, TB-2, etc.	1 per cooler containing aqueous samples for VOC analysis			1							0		
Equipment blanks	ER with number; for example ER-1, ER-2, etc.			1	1	1	1	1	2	1	1	1	1	
Total Groundwater Samples Includ	ing OC		5	5	5	4	8	8	8	9	1 4	5	14	14

NOTES:

¹Field parameters: pH, temperature, conductivity, dissolved oxygen, oxidation-reduction potential, and turbidity

Total dissolved solids, hexavalent chromium, PFC, and TPH analyses for groundwater samples will be conducted by a private laboratory.

PBC = Polychlorinated biphenyls TAL = Total analyte list

PFCs = Perfluorochemicals

SVOCs = Semivolatile organic compounds

TPH = Total petroleum hydrocarbons
VOCs = Volatile organic compounds

Objective of Sampling - To verify whether or not contaminants of potential concern are present within the alluvial groundwater, and to define the nature and extent of groundwater impact.

Activities to be Conducted - The tasks of this field investigation that will be performed during Phase 1 include: (1) Collection of groundwater samples from the newly installed groundwater monitoring wells, and (2) Collect groundwater samples

Sample Locations - See Figure A-1 in Appendix A of the Sampling and Analysis Plan

Table C-1: Phase 1 Remedial Investigation Sediment Sample Summary Sediment Sampling

								Sediment Sampling																															
				I			Samplin			-	Analysis Metals	1	Hexavalen		-																								
Sample Location	Total Depth (ft bgs)	Sample Medium	Rationale	Nunber of Sample Locations	Sample Identification	Sampling Tool	Depth (ft bgs)	Field Screening by PID	VOCs	SVOC s	(includes	Cyanide	t		Herbicides	AVS/SE M	PFCs	ORP	pН	тос тр																			
	oring (Surface					1 5		•										-																					
15 04					RISS-01- 0.0-0.5		0.0 - 0.5	Yes	0	0	0	0	0					0	0	0																			
SS-01	2	Surface soil		1	RISS-01-		0.5 - 2.0	Yes	0	0	0	0	0					0	0																				
			+		0.5-2.0 RISS-02-		0.0 - 0.5	Yes	0		0	0	0					0	0																				
S-02	2 Surface soil	Surface soil		1	0.0-0.5 RISS-02-					-		Ů	0																										
			_		0.5-2.0 RISS-03-		0.5 - 2.0	Yes	0	1 0	0	0	0					0	0																				
S-03	2	Surface soil		1	0.0-0.5		0.0 - 0.5	Yes	0	0	0	0	0					0	0																				
					RISS-03- 0.5-2.0		0.5 - 2.0	Yes	0	0	0	0	0					0	0																				
IC 04		0.0.3		,	RISS-04- 0.0-0.5		0.0 - 0.5	Yes	0	0	0	0	0					0	0																				
S-04	2	Surface soil	To assess potential impact	. 1	RISS-04- 0.5-2.0	Split spoon Continuous	0.5 - 2.0	Yes	0	0	0	0	0					0	0																				
	•••••		of surface soil on-site and off-		RISS-05-	sampler	0.0 - 0.5	Yes	0	0	0	0	0					0	0																				
S-05	2	Surface soil	site		1	0.0-0.5 RISS-05-	PVC/acetate sleeve	0.5 - 2.0	Yes	0		0	0	0					0	0																			
***************************************					0.5-2.0 RISS-06-					-			0																										
SS-06 2	2	Surface soil		1	0.0-0.5 RISS-06-		0.0 - 0.5	Yes	0	1 0	0	0	0					0	0																				
		-	_		0.5-2.0		0.5 - 2.0	Yes	0	0	0	0	0					0	0																				
S-07	2	Surface soil	1	1	RISS-07- 0.0-0.5		0.0 - 0.5	Yes	0	0	0	0	0					0	0																				
15-0 <i>i</i>	2	Surface son		1	RISS-07- 0.5-2.0		0.5 - 2.0	Yes	0	0	0	0	0					0	0																				
			1		RISS-08- 0.0-0.5		0.0 - 0.5	Yes	0	0	0	0	0					0	0																				
SS-08	2	Surface soil		1	RISS-08-		0.5 - 2.0	Yes	0	0	0	0	0					0	0																				
		<u> </u>			0.5-2.0			Subtotal Surface Soil Boring Soil Samples	0	0	0	0	0					0	0																				
liment Sam	 							· .			-																												
SED- 1	0.5	Sediment		1	LSED-1-0.0-0.5 1 -0.0-0.5		0.0 - 0.5	Yes	X	X	X	X	X	X	X	X	X	X	X	X																			
LSED- 2	0.5	Sediment		1	LSED-2-0.0-0.5 2 -0.0-0.5		0.0 - 0.5	Yes			X	X	X																										
SED-3	0.5	Sediment		1	LSED-3-0.0-0.5 3 -0.0-0.5		0.0 - 0.5	Yes			X	X	X																										
SLD- J	0.5	Sediment			LSED-3-0.0-0.5-D		0.0 - 0.5				X	X	X																										
SED- 4	0.5	Sediment	- -	-	1	LSED-4-0.0-0.5 4 -0.0-0.5		0.0 - 0.5	Yes			X	X	X																									
SED- 5	0.5	Sediment				ı	i	(1	1	1						1	1		1	l	1	LSED-5-0.0-0.5 5 -0.0-0.5		0.0 - 0.5	Yes			X	X	X								
SED- 6	0.5	Sediment	7	1	LSED-6-0.0-0.5 6 -0.0-0.5		0.0 - 0.5	Yes			X	X	X																										
SED- 7	0.5	Sediment	To assess delineate nature and extent		To assess	To assess	1		1	1	To assess	To assess	To assess	1	LSED-7-0.0-0.5 7 -0.0-0.5		0.0 - 0.5	Yes			X	X	X																
SED- 8	0.5	Sediment												ı	1	LSED-8-0.0-0.5 8 -0.0-0.5		0.0 - 0.5	Yes	***************************************		X	X	Y	 														
SED- 9	0.5	Sediment												1	LSED-8-0.0-0.5 8 -0.0-0.5 LSED-9-0.0-0.5 9 -0.0-0.5	4	0.0 - 0.5	Yes	X	- V	X	X	X	X	X	X	X	X	X	X									
		4												To assess	To assess		1		Core sampler or			Λ	X					Λ		A	Λ	<u> </u>	$\frac{\Lambda}{}$						
SED- 10	0.5	Sediment			1	LSED-10-0.0-0.5 10 -0.0-0.5	scoop	0.0 - 0.5	Yes			X	X	X	1					$-\!+$																			
SED- 11	0.5	Sediment		1	LSED-11-0.0-0.5 11 -0.0-0.5	*	0.0 - 0.5	Yes			X	X	X																										
SED- 12	0.5	Sediment		1	LSED-12-0.0-0.5 12 -0.0-0.5		0.0 - 0.5	Yes			X	X	X																										
SED- 13	0.5	Sediment		-						1	LSED-13-0.0-0.5 13 -0.0-0.5		0.0 - 0.5	Yes			X	X	X		1																		
SED- 14	0.5	Sediment												1	LSED-14-0.0-0.5 14 -0.0-0.5	1	0.0 - 0.5	Yes			X	X	X																
SED- 15	0.5	Sediment														1	LSED-15-0.0-0.5 15 -0.0-0.5		0.0 - 0.5	Yes			X	X	X	1						$\overline{}$							
	0.5	Sediment																					1	LSED-16-0.0-0.5 16 -0.0-0.5		0.0 - 0.5	Yes		 	X	X	X	1					-+	
SED- 16	0.5	Sediment																LSED-16-0.0-0.5-D		0.0 - 0.5	Yes		-	X	X	X	 												
ED 17				1						+	<u> </u>	 	ļ																										
SED- 17	0.5	Sediment				1	i	1	LSED-17-0.0-0.5 17 -0.0-0.5		0.0 - 0.5	Yes			X	X	X	 						\longrightarrow															
SED- 18	0.5	Sediment				1	LSED-18-0.0-0.5 18 -0.0-0.5		0.0 - 0.5	Yes			X	X	X																								
SED- 19	0.5	Sediment			1	LSED-19-0.0-0.5 19 -0.0-0.5		0.0 - 0.5	Yes			X	X	X																									
SED- 20	0.5	Sediment		1	LSED-20-0.0-0.5 20 -0.0-0.5		0.0 - 0.5	Yes			X	X	X																										
		***************************************					T	Subtotal Sediment Samples	0	0	0	0	0	0	1	0	0	0	0	0																			
mont Inc.	stigation QC S	amalas					1	Subtotal Seament Samples	U	1 0	<u>, , , , , , , , , , , , , , , , , , , </u>	L "		1 "	^	<u> </u>	<u> </u>	<u> </u>	<u> </u>																				
ment mye	sugadon QC 3:	ampies	1	T				1		т	Т	T	Г	, .																									
Field				Same as origi	nal with "-D" added to the ID,									[
uplicates	NA	Sediment	Quality Control		MW-16-0.5-2.0-D	1 per 10 samples			#REF!	#REF!	#REF!	#REF!	#REF!	#REF!	#REF!	#REF!	#REF! #	#REF! #I	REF! #	REF! #																			
apmentes			Zumity Common	To campic N	74.11 IO 0.5-2.0-15										l	l																							
				L							•	·		·																									

EA Engineering, Science, and Technology, Inc., PBC

Revision 00

Revision 00
Table C-1, Page 3 of 3
October 2019

MS/MSDs	NA	Sediment	7	Same as original sample identification	1 per 20 samples		#REF!	#REF!	#REF!	#REF!	#REF!	#REF!	2	#REF!	#REF! #RE	F! #REF!	#REF! #REF!
						Total Sediment Samples Associated with Soil Investigation Including QC	#REF! #RE	F! #REF	#REF! #REF!								
Water QC Sam	iples																
Trip blanks	NA	Water	Quality Control	TB with number; for example TB-1, TB-2, etc.	1 per cooler containing		2										
Equipment	NA	Water	Quality Control	ER with number; for example ER-1, ER-2, etc.	1 per day per set of								0		2		
						Total Water QC Samples Associated with Sediment Investigation	2	0	0	0	0	0	0	0	2 0	0	0 0

NOTE:

Hexavalent chromium, AVS/SEM, PFCs, pH and ORP, analyses for sediment samples will be conducted by a private laboratory.

AVS/SEM = Acid volatile sulfide/simultaneously extracted metals.

bgs = Below ground surface.

ft = Foot (feet).

ORP = Oxidation-reduction potential.

PCB = Polychlorinated biphenyl.

PFC = Perfluorochemical.

SVOC = Semivolatile organic compound.

TAL = Target Analyte List.

TOC = Total organic carbon.

TPH = Total petroleum hydrocarbon.

VOC = Volatile organic compound.

Objective of Sampling - To determine potential points of entry of sediment entering the nearby drainge systems from the site, and to determine the nature and extent of contaminants of potential concern associated with sediment.

Activities to be Conducted - The tasks of this field investigation that will be performed during Phase 1 include collection of sediment samples for laboratory analyses. These samples will be collected using sediment core samplers with disposable sleeves or laboratory-grade disposable scoops Sample Locations - See Figure A-3 in Appendix A of the Sampling and Analysis Plan